

RADIESSE[®]
VOLUMIZING FILLER

RADIESSE[®] AND BELOTERO[®] PRESENT

THE GOLDEN TICKET



Actual patients. Results untouched. Individual results may vary.

IMPORTANT RADIESSE[®] and RADIESSE[®] (+) SAFETY INFORMATION

RADIESSE[®] and RADIESSE[®] (+) are dermal fillers that are used for smoothing moderate to severe facial wrinkles and folds, such as nasolabial folds (the creases that extend from the corner of your nose to the corner of your mouth). RADIESSE[®] is also used for correcting volume loss in the back of the hand.

You should not use RADIESSE[®] or RADIESSE[®] (+) if you have an allergy to any component of the product, if you have a bleeding disorder, or if you are pregnant or breastfeeding. You should not use RADIESSE[®] (+) if you have an allergy to lidocaine or medicines like it.

If RADIESSE[®] or RADIESSE[®] (+) are injected into a blood vessel, serious complications can result including stroke, vision abnormalities, blindness, temporary scabs and permanent scars.

The most common adverse events seen in clinical studies of RADIESSE[®] or RADIESSE[®] (+) used in the face include bruising, redness, swelling, pain,

RADIESSE®
VOLUMIZING FILLER

Enter and you could win a
lower face makeover
valued at up to \$5,000



Actual patients. Results untouched. Individual results may vary.

IMPORTANT RADIESSE® and RADIESSE® (+) SAFETY INFORMATION

RADIESSE® and RADIESSE® (+) are dermal fillers that are used for smoothing moderate to severe facial wrinkles and folds, such as nasolabial folds (the creases that extend from the corner of your nose to the corner of your mouth). RADIESSE® is also used for correcting volume loss in the back of the hand.

You should not use RADIESSE® or RADIESSE® (+) if you have an allergy to any component of the product, if you have a bleeding disorder, or if you are pregnant or breastfeeding. You should not use RADIESSE® (+) if you have an allergy to lidocaine or medicines like it.

If RADIESSE® or RADIESSE® (+) are injected into a blood vessel, serious complications can result including stroke, vision abnormalities, blindness, temporary scabs and permanent scars.

The most common adverse events seen in clinical studies of RADIESSE® or RADIESSE® (+) used in the face include bruising, redness, swelling, pain,

RADIESSE[®]
VOLUMIZING FILLER

Enter and you could win a
lower face makeover
valued at up to \$5,000



Actual patients. Results untouched. Individual results may vary.

IMPORTANT RADIESSE[®] and RADIESSE[®] (+) SAFETY INFORMATION

RADIESSE[®] and RADIESSE[®] (+) are dermal fillers that are used for smoothing moderate to severe facial wrinkles and folds, such as nasolabial folds (the creases that extend from the corner of your nose to the corner of your mouth). RADIESSE[®] is also used for correcting volume loss in the back of the hand.

You should not use RADIESSE[®] or RADIESSE[®] (+) if you have an allergy to any component of the product, if you have a bleeding disorder, or if you are pregnant or breastfeeding. You should not use RADIESSE[®] (+) if you have an allergy to lidocaine or medicines like it.

If RADIESSE[®] or RADIESSE[®] (+) are injected into a blood vessel, serious complications can result including stroke, vision abnormalities, blindness, temporary scabs and permanent scars.

The most common adverse events seen in clinical studies of RADIESSE[®] or RADIESSE[®] (+) used in the face include bruising, redness, swelling, pain,

RADIESSE[®]
VOLUMIZING FILLER

Enter and you could win a
lower face makeover
valued at up to \$5,000



Actual patients. Results untouched. Individual results may vary.

IMPORTANT RADIESSE[®] and RADIESSE[®] (+) SAFETY INFORMATION

RADIESSE[®] and RADIESSE[®] (+) are dermal fillers that are used for smoothing moderate to severe facial wrinkles and folds, such as nasolabial folds (the creases that extend from the corner of your nose to the corner of your mouth). RADIESSE[®] is also used for correcting volume loss in the back of the hand.

You should not use RADIESSE[®] or RADIESSE[®] (+) if you have an allergy to any component of the product, if you have a bleeding disorder, or if you are pregnant or breastfeeding. You should not use RADIESSE[®] (+) if you have an allergy to lidocaine or medicines like it.

If RADIESSE[®] or RADIESSE[®] (+) are injected into a blood vessel, serious complications can result including stroke, vision abnormalities, blindness, temporary scabs and permanent scars.

The most common adverse events seen in clinical studies of RADIESSE[®] or RADIESSE[®] (+) used in the face include bruising, redness, swelling, pain,

Just the first of many
10TH BIRTHDAY REWARDS



HAPPY BIRTHDAY BEAUTIFUL

Actual patients. Results untouched. Individual results may vary.

IMPORTANT RADIESSE[®] and RADIESSE[®] (+) SAFETY INFORMATION

RADIESSE[®] and RADIESSE[®] (+) are dermal fillers that are used for smoothing moderate to severe facial wrinkles and folds, such as nasolabial folds (the creases that extend from the corner of your nose to the corner of your mouth). RADIESSE[®] is also used for correcting volume loss in the back of the hand.

You should not use RADIESSE[®] or RADIESSE[®] (+) if you have an allergy to any component of the product, if you have a bleeding disorder, or if you are pregnant or breastfeeding. You should not use RADIESSE[®] (+) if you have an allergy to lidocaine or medicines like it.

If RADIESSE[®] or RADIESSE[®] (+) are injected into a blood vessel, serious complications can result including stroke, vision abnormalities, blindness, temporary scabs and permanent scars.

The most common adverse events seen in clinical studies of RADIESSE[®] or RADIESSE[®] (+) used in the face include bruising, redness, swelling, pain,

RADIESSE®
VOLUMIZING FILLER

RADIESSE® AND BELOTERO® PRESENT

THE GOLDEN TICKET

ENTER NOW

*And you could win a lower face
makeover valued at up to \$5,000*

Actual patients. Results untouched. Individual results may vary.

IMPORTANT RADIESSE® and RADIESSE® (+) SAFETY INFORMATION

RADIESSE® and RADIESSE® (+) are dermal fillers that are used for smoothing moderate to severe facial wrinkles and folds, such as nasolabial folds (the creases that extend from the corner of your nose to the corner of your mouth). RADIESSE® is also used for correcting volume loss in the back of the hand.

You should not use RADIESSE® or RADIESSE® (+) if you have an allergy to any component of the product, if you have a bleeding disorder, or if you are pregnant or breastfeeding. You should not use RADIESSE® (+) if you have an allergy to lidocaine or medicines like it.

If RADIESSE® or RADIESSE® (+) are injected into a blood vessel, serious complications can result including stroke, vision abnormalities, blindness, temporary scabs and permanent scars.

The most common adverse events seen in clinical studies of RADIESSE® or RADIESSE® (+) used in the face include bruising, redness, swelling, pain,